

Панта HODOR

Приложение:

Чепова панта открит кант. Горна & долна панта.
Със стоп функция. Необходим отвор в стъклото.
Реглаж на ъгъла посредством уплътненията.
160 градуса отваряне.

Дебелина на дъното от 10 мм.

Материал: Алуминий – хром или черен мат

Размер: 45 x 85 x 43 мм (W/L/H)

Дебелина врата (стъкло): 8 – 12 мм

Отвор: Ø 12 мм

Максимална товароносимост: 38 кг на врата.

Максимален размер врата: 600 x 2000 x 12 мм (W/H/T)



TÜV Approved
EN 15570:2008
80.000 Cycles

1 к-т= 1 горна + 1 долна панти

Код No.:

Хром # 15.06.080 **34,36 евро с ДДС**



Черен мат # 15.06.082 **39,18 евро с ДДС**




Включени 6 CSK стоманени винта Ø6 x 18 мм, 4 безцветни

PVC уплътнения по 1 мм & 2 черни ПА




за реглажа на позицията на затваряне.









A = Напълно вкопана.

B = Издадена 4,5 мм



Реглаж на позицията посредством уплътненията.



Панти за стъкло и плоскости EASY

Панта "Easy", високо рамо, хром/черна, отваряне 180DG, за стъкло 8-10 мм или 14-16 мм панел, със стопер, тяло от цам & ос от неръждаема стомана, включени 4 евро винта $\varnothing 6,3 \times 10$ мм + 2 стоманени винта $3,5 \times 10$ мм & 2 бели или черни Раб уплътнения - 1 мм

Панта хром, за панел 8-10 мм, **kog: 15.04.105-0 - 7,15 евро с ДДС**

Панта хром, за панел 14-16 мм, **kog: 15.04.110-0 - 7,15 евро с ДДС**







Панта черна, за панел 8-10 мм, **kog: 15.04.106-0 - 7,73 евро с ДДС**

Панта черна, за панел 14-16 мм, **kog: 15.04.111-0 - 7,15 евро с ДДС**



Филм за панта EASY:

<https://youtu.be/x1bvdeev1K0>



Панти за стъкло и плоскости EASY





Фиксиращи тапи за панти EASY

Тапи за закрепване на панта "Easy" комплект 2 броя,
за плоскост или стъкло, стомана 304 -
черна или грана, отвор М6, р-р $\varnothing 20 \times 9$ мм,
включено пластмасово уплътнение -
черна/бяла ПВХ, разпробиване: $\varnothing 12$ мм



Фиксиращи тапи от стомана, грана, **ког: 15.04.120-0 - 4,29 евро с ДДС**

Фиксиращи тапи от стомана, черна, **ког: 15.04.121-0 - 4,29 евро с ДДС**




Предни капачки за стъкло за панти EASY

Предна капачка за панта "Easy",
за стъклена врата, цам, р-р 55x30 мм,
хром или черна, вкл. 2 РН винта М6х10 мм,
2 РН винта М6х16 мм и 1 бяло/черно
уплътнение РА6 - 0,8 мм


Предна капачка, хром - **kog: 15.04.125-0 - 4,29 евро с ДДС**

Предна капачка, черна - **kog: 15.04.126-0 - 4,29 евро с ДДС**

Комплект уплътнения EASY - **kog: 15.04.123-0 - 0,91 евро с ДДС**



Комплект уплътнители, за капачка за закрепване,
на панти "Easy", за стъклена врата,
черно РА3 - различни уплътнения
използват се за по-добра визия през стъклото



AUTOMATIC GLASS DOOR HINGE WITH DOUBLE SPRING ACTION

Opening angle: 92°

Glass door drilling:

26 mm for glass thickness 4 to 6 mm

Supplied complete with wing mounting plate.



Steel nickel pl. 3 mm distance for chipboard screw attachment

housing: plastic black

Hingearm keyhole type, steel nickel pl.



15.01.700-0	ниско рамо	
15.01.710-0	високо рамо	1,50 евро





COVER CAPS FOR HINGE "MINI"

FRONT COVER PLASTIC

15.02.720-1	кръгла хром	0,59 евро
15.02.721-0	кръгла злато	0,59 евро
15.02.722-0	кръгла черно	0,48 евро
15.02.723-0	кръгла, алум.	0,67 евро
15.02.724	кръгла, мат ник	/по заявка/

15.02.730-1	овал, хром	0,52 евро
15.02.731-1	овал, злато	0,61 евро
15.02.732-0	овал, черно	0,52 евро
15.02.733-0	овал, алум.	0,52 евро
15.02.734	овал, мат ник	/по заявка/




SOFT CLOSE MINI GLASS DOOR HINGE Ø 26 MM - 95°



Standard model

**SOFT CLOSE
LIP-ON
F/ 4-6 MM GLASS
Ø 26 MM**

Hinge w/mounting plate f/easy up & down adjustment (optional)



- H = height of mounting plate
- D = required door overlay
- K = drilling distance from the edge of door to the edge of the cup hole
- A = gap between door and sidepanel

Ниско рамо (A)



15.01.720-0 - **4,44 евро**

Средно рамо (B)

15.01.721-0 - **4,42 евро**

Високо рамо (C)

15.01.722-0 - **4,50 евро**








SOFT CLOSE MINI GLASS DOOR

HINGE Ø 26 MM - 95°

Opening angle: 95°
 Depth of hinge cup: 10,6 mm
 Diameter of hinge cup: 26 mm
 Possible drilling distances on the glass door (K): 4-7 mm
 Glass door thickness: 4-6 mm

Cup drawing



Steel - Nickel Plated		Item No.	D: Overlay calculations	A: Gap calculations																				
Full overlay (A)	 H=12,5+K-D	15.01.720 Incl. SISO name plate + mounting plate H = 0	<table><tr><th>D \ K</th><th>3</th><th>4</th><th>5</th></tr><tr><th>H</th><td></td><td></td><td></td></tr><tr><th>0</th><td>15,5</td><td>16,5</td><td>17,5</td></tr><tr><th>2</th><td>13,5</td><td>14,5</td><td>15,5</td></tr><tr><th>4</th><td>11,5</td><td>12,5</td><td>13,5</td></tr></table>	D \ K	3	4	5	H				0	15,5	16,5	17,5	2	13,5	14,5	15,5	4	11,5	12,5	13,5	
D \ K	3	4	5																					
H																								
0	15,5	16,5	17,5																					
2	13,5	14,5	15,5																					
4	11,5	12,5	13,5																					
Half overlay (B)	 H=3,5+K-D	15.01.721 Incl. SISO name plate + mounting plate H = 0	<table><tr><th>D \ K</th><th>3</th><th>4</th><th>5</th></tr><tr><th>H</th><td></td><td></td><td></td></tr><tr><th>0</th><td>6,5</td><td>7,5</td><td>8,5</td></tr><tr><th>2</th><td>4,5</td><td>5,5</td><td>6,5</td></tr><tr><th>4</th><td>2,5</td><td>3,5</td><td>4,5</td></tr></table>	D \ K	3	4	5	H				0	6,5	7,5	8,5	2	4,5	5,5	6,5	4	2,5	3,5	4,5	
D \ K	3	4	5																					
H																								
0	6,5	7,5	8,5																					
2	4,5	5,5	6,5																					
4	2,5	3,5	4,5																					
Inset (C)	 H=-4+K+A	15.01.722 Incl. SISO name plate + mounting plate H = 0	<table><tr><th>A \ K</th><th>3</th><th>4</th><th>5</th></tr><tr><th>H</th><td></td><td></td><td></td></tr><tr><th>0</th><td>1</td><td>0</td><td>-1</td></tr><tr><th>2</th><td>3</td><td>2</td><td>1</td></tr></table>	A \ K	3	4	5	H				0	1	0	-1	2	3	2	1					
A \ K	3	4	5																					
H																								
0	1	0	-1																					
2	3	2	1																					
		H = 0 f/chipboard screws Clip-on	Delivered as standard mounting plate with all hinges. Chipboard screws to be ordered separately.																					
		15.03.728-0 H = 0 f/euro screws Clip-on	To be ordered separately if easy up & down adjustment is wanted. Pre-mounted euro screws included.																					
																								
Хром 15.01.830-0 - 0,83 евро		15.01.831, ABS Alu plated cover		Хром 15.01.820-0 - 0,86 евро																				
				Алуминий 15.01.821-0 - 0,86 евро																				

GLASS DOOR HINGES "SMART-92" WITH FRONT COVER

GLASS DOOR HINGE „SMART-92“

Application

For inset doors. Ideal for furniture where only a very narrow wooden side-wall/pole is available.
Direct fixing to side-wall/pole without any mounting plate

Mounting

Glass door drilling: Ø26 mm
Glass thickness: 4-6 mm C.C. 32 mm


Material

Hinge arm: Zamak, nickel plated
Hinge cup: Black plastic

15.01.000-0	2,66 евро
-------------	-----------

Plastic cover cap Ø32 mm

15.01.050-0 - алум.	1,44 евро
---------------------	-----------



GLASS DOOR HINGES F/DRILLING

GLASS DOOR HINGE „NICE“

Function: Inset doors,
w/catch function,
height adjustable

Material: Brass, chrome plated





Glass thickness: 4-6 mm

Opening angle: 105 degree

Drilling: Ø19 mm



15.06.450-0	9,85 евро
-------------	-----------



GLASS DOOR HINGE „ELEGANT“

Function: Inset doors


Material: Brass - brushed nickel

Glass thickness: 6 mm




Opening angle: 270 degree

Drilling: Ø 12 mm

Item No.: # 15.06.461



15.06.461-0	12,43 евро
-------------	------------




GLASS DOOR HINGE 11.300

Material: Steel **Kog** Цена в евро с ДДС
 Chrome plated # 15.06.036 - 4,44
 Black anodized # 15.06.037
 Alu finish # 15.06.038

Mounting:
 Top + Bottom
 Inset Doors, max 4-6 mm
 Complete with nylon bushing & POM screws w/soft tip

Front plate:
 Size: 50 x 23 mm

Optional, to be ordered separately
BALL CATCH # 15.06.076 - 1,07 евро
Material: Brass
Size: Ø 8 mm x 13 mm



GLASS DOOR HINGE 11.561


Material: Steel

15.06.096	хром	2,24 евро
15.06.095	черно	2,15 евро
15.06.098	алуминий	2,72 евро

Mounting:
 Top + Bottom
 Inset Doors, max 5 mm
 Complete with nylon bushings, steel screws & sleeve

Front plate:
 Size: 40 x 14,5 mm

Optional, to be ordered separately
BALL CATCH # 15.06.076 - 1,07 евро с ДДС
Material: Brass
Size: Ø 8 mm x 13 mm



GLASS PIVOT HINGE "BRASS"



Mounting: Inset doors.
 Complete with brass bushings & softtip screws

Material: 3 mm brass

Hinge size: 42 x 27 x 16 mm
 (W/H/D)

Bushing size: Ø 8 x 11 mm

Glass thickness: 4 - 8 mm



15.06.070	хром	19,68 евро
-----------	------	------------

GLASS PIVOT HINGES "STAINLESS STEEL" - NO DRILLING

MODEL "SMALL"

Mounting:

Inset doors. Complete with brass bushings & soft tip screws

Material:


2 mm stainless steel, polished

Hinge size: 42 x 20 x 13 mm
(W/H/D)

Bushing size: Ø9 x 8 mm

Glass thickness: 6 mm

15.06.060	10,16 евро
-----------	------------



MODEL "MEDIUM"

Mounting:

Inset doors. Complete with brass bushings & soft tip screws

Material:


2 mm stainless steel, polished

Hinge size: 52 x 26 x 16 mm
(W/H/D)

Bushing size: Ø10 x 9 mm

Glass thickness: 8 mm

15.06.062	10,74 евро
-----------	------------



MODEL "LARGE"

Mounting:

Inset doors. Complete with brass bushings & soft tip screws

Material:


2 mm stainless steel, polished

Hinge size: 71 x 35 x 17 mm
(W/H/D)

Bushing size: Ø10 x 9 mm

Glass thickness: 10 mm

15.06.064	12,07 евро
-----------	------------




MAGNETIC TOUCH LATCHES

MAGNETIC TOUCH LATCH

Knock in type
- No striker included

Finish: Black Plastic # 22.01.095
Bore: Ø 11 x 38 mm **0,80 е8po c AAC**

Packing
350 pcs per box
2800 pcs per export carton




MAGNETIC TOUCH LATCH - SINGLE

Screw on - No striker included
- round type

Finish: black plastic # 22.01.070
Fixation: c.c. 22 mm **0,80 е8po c AAC**

Packing
250 pcs per box
1000 pcs per export carton




MAGNETIC TOUCH LATCH - DOUBLE

Screw on - no striker included
- round type

Finish: black plastic # 22.01.088
Fixation: c.c. 18 mm/51 mm **1,40 е8po c AAC**

Packing
500 pcs per box




CATCH PLATE - GLASS

with Handle & Pad
Size: 23 x 40 mm
4-6 mm glass thickness

Material: Steel
Chrome plate # 22.03.015
1,79 е8po c AAC
Black anodized # 22.03.016
1,20 е8po c AAC

Packing
200 pcs per box
1000 pcs per export carton




CATCH PLATE - GLASS

With Pad
Size: 40 x 25 mm
4-6 mm glass thickness

Material: Steel
Black anodized # 22.03.111
Chrome plated # 22.03.115
1,44 е8po c AAC

Packing
200 pcs per box
1000 pcs per export carton



MAGNET TOUCH LATCH "SLIM" W/STRIKER

Application: Push-to-open touch latch for doors and drawers with magnet & striker. Suitable for wood & glass fronts

Material: Black ABS, White ABS, Grey ABS RAL 7040



Overall size: 84,5 mm x 14,5 mm

Extended: 105 mm




Item No.: # 22.01.104 (White)
22.01.105 (Black) **1,70 €** с ДДС
22.01.106 (Grey) **1,70 €** с ДДС

Incl. Steel striker 20 x 20 mm with adhesive tape for glass fixing & screw hole for wood fixing.




Screws to be ordered separately



CHANGE OF EXTENSION LENGTH



Mounting of latch



GLASS DOOR HINGES - NO DRILLING

SS-304 GLASS DOOR HINGE „GRACE“ F/5-8,76 MM GLASS

Mounting:

Glass: Ø 10 mm boring holes
Wood: 7 x 4 mm screw holes

Material:

Stainless steel 304
- polished

Hinge size: 52 x 31 13 mm (H/W/D)

Glass thickness: 5-8,76 mm

Max door size: 650 x 900 mm


Max door weight: 6 kg per hinge

Function:

Inset or half-overlay
Opening 180°

15.06.470	високо рамо	18,00 евро
15.06.471	средно рамо	13,42 евро


Each hinge is supplied with 2 white cushions 1 mm thickness



Inset



Half-overlay



GLASS DOOR HINGES - NO DRILLING

GLASS DOOR HINGE D-13/2 TOP & BOTTOM


Function:
For inset doors. W/catch function.
Top & Bottom. Sparkled front plate.

Mounting:
W/plastics screws w/soft tip & pad.

Material: Zamak
Size: 40 x 30 mm
Glass thickness: 5 - 6 mm

Item No.:

15.06.102	хром	7,61 евро
-----------	------	-----------



GLASS DOOR HINGE D-16 TOP & BOTTOM


Function:
For overlay doors. W/catch function.
Top & Bottom. Sparkled front plate.

Mounting:
W/plastics screws & foam pad.

Material: Zamak
Size: 40 x 30 mm
Glass thickness: 5 - 6 mm

Item No.:

15.06.415	хром	7,97 евро
-----------	------	-----------



GLASS DOOR HINGE C-13 CENTRE


Function:
For inset doors. W/catch function. Centre- or top
fixation if roundend doors. Sparkled front plate.

Mounting:
W/plastics screws w/soft tip & pad.

Material: Zamak
Size: 40 x 30 mm
Glass thickness: 5 - 6 mm

Item No.:

15.06.311	хром	3,15 евро
-----------	------	-----------



LIFT-OFF BUTT HINGE SS-304 FOR UV-GLUE


Mounting: By UV-glue B 682-0
from Bohle.
UV-lamp is needed

Material: 2,5 mm stainless
steel 304 - polished

Hinge size: 65 X 50 mm (H/W)

Function: Inset doors
Max door width 500 mm
Load capacity: 7,5 KG
per pair
Opening angle 270°
Glass thickness: 4-8 mm

15.13.590	дясна	7,87 евро
15.13.600	лява	7,87 евро




BUTT HINGE SS-304 FOR UV-GLUE

Mounting: By UV-glue B 682-0
from Bohle.
UV-lamp is needed

Material: 2 mm stainless
steel 304 - polished

Hinge size: 65 x 50 mm (H/W)

Function: Inset doors
Max door width 500 mm
Load capacity: 7,5 KG
per pair
Opening angle 270°
Glass thickness: 4-8 mm



15.13.105	7,87 евро
-----------	-----------

BRASS BUTT HINGE FOR UV-GLUE

Mounting: By UV-glue B 682-0 from Bohle
UV-lamp is needed

Material: 2,9 mm Brass - Chrome Plated

Hinge size: 60 x 60 mm (H/W)



Function: Inset doors
Max door width 500 mm


Load Capacity: 7,5 Kg per pair

Opening: 270°

Glass thickness: 4-8 mm #15.13.110 - 18,26 евро
с ДДС

Finish: Chrome Plated (CPL) # 15.13.110
SS-Look (nickel brushed) # 15.13.111






MIRROR SCREWS W/CAP

ROUND STRIKER - SELF ADHESIVE

For Rigid Fixation
- Stick On Type

Material: Steel
Nikel plated # 22.01.118
Diameter: Ø 19 mm **0,30 евро с ДДС**



MIRROR OR GLASS CLIP

Application:

For safe mounting of mirrors or other glass panels of 4 mm thickness.

Material:

Plastic transparent


Screw holes: Ø3 mm

Item No.: # 22.05.200

0,11 евро с ДДС

Option:

Also available for other glass thickness upon special request or inquiry.
Other colour available.



MIRROR CLIPS W/SPRING

Приложение:

За монтаж на огледала.
Без разпробиване на стъклото.

Състои се от:

2 пружинни горни скоби
& 2 фиксирани долни скоби.

Дебелина на стъклото: 5 - 6 mm

Отвори за винтове: Ø5 mm


Финиш:

Стомана никелирана # 22.05.100
Stainless steel 304 **3,58 евро с ДДС**

Пакетиране:

400 комплекта в кашон

Винтове и дюбели



SIGNBOARD SCREWS



Application

Mounting of signboards, mirrors etc.

Материал

Месинг

Монтаж

Ø4 mm отвор за винт

Ø 25 x 25 mm


Дебелина панел: 2 - 15 mm

Хром, код

22.11.100

6,71 евро с ДДС

All signboard screws are supplied
w/2 transparent washers



SIGNBOARD HOLDERS



Application

Mounting of signboards, mirrors etc.

Material

Brass

Mounting

Ø4 mm screw hole


Ø 30 x 20 mm

Panel thickness: 6 mm

Chrome plated

22.11.210

11,07 евро с ДДС



SIGNBOARD SCREWS "ALU"

Application

Mounting of signboards, mirrors etc.

Material

Aluminium

Mounting

ø 4 mm screw hole



ø 19 x 25 mm

Panel thickness: 2 - 12 mm

Anodized

22.11.130

3,80 евро с ДДС

Black

22.11.134

4,02 евро с ДДС

ø 25 x 30 mm


Panel thickness: 2 - 12 mm

Alu polished

22.11.145

6,04 евро с ДДС

All signboard screws are supplied
w/2 transparent washers



SIGNBOARD SCREW "SS" W/CSK HEAD

Application

Mounting of signboards, mirrors etc.

Features

Counter sunk head with snake eyes

Material

Stainless steel 304

Mounting

8 x 14 mm screw hole



ø 32 x 28 mm

Panel thickness: 8 - 12 mm

SS 304

22.11.152

19,59 евро с ДДС

All signboard screws are supplied
with black plastic washers

